

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1171	(702/57,64).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/08/24 11:28
L2	1052	(702/65,67,68,107).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/08/24 11:39
L3	1300	(702/182).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/08/24 11:40
L4	1070	(702/183).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/08/24 11:44
L5	957	(702/188).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/08/24 12:11
L6	1614	(700/121).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/08/24 12:13
L7	916	(438/5,8,9).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/08/24 12:27
L8	6628	(438/14,16,17).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/08/24 12:29
L9	63	L8 and (plasma electron) adj density	US-PGPUB; USPAT	OR	ON	2006/08/24 12:29
L10	137	L8 and plasma adj processing	US-PGPUB; USPAT	OR	ON	2006/08/24 12:29
L11	0	plasma adj processing and Gunn adj diode adj ((voltage adj controlled adj oscillator) vco) and @pd>"20060606"	US-PGPUB; USPAT	OR	ON	2006/08/24 12:38
L12	0	Gunn adj diode adj ((voltage adj controlled adj oscillator) vco) and @pd>"20060606"	US-PGPUB; USPAT	OR	ON	2006/08/24 12:38
L13	0	plasma adj processing and Gunn adj diode adj ((voltage adj controlled adj oscillator) vco) and @pd>"20060606"	EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:39
L14	0	Gunn adj diode adj ((voltage adj controlled adj oscillator) vco) and @pd>"20060201"	EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:39
L15	0	plasma adj processing and Gunn adj diode with ((voltage adj controlled adj oscillator) vco) and @pd>"20060606"	US-PGPUB; USPAT	OR	ON	2006/08/24 12:39
L16	0	plasma adj processing and Gunn adj diode with ((voltage adj controlled with oscillator) vco) and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:39
L17	0	Gunn adj diode with ((voltage adj controlled with oscillator) vco) and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:39
L18	1	((plasma adj processing) (electron adj density)) and semiconductor and diagnostic and resonator and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:40

EAST Search History

L19	3	((plasma adj processing) (electron adj density)) and semiconductor and resonator and oscillator and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:40
L20	0	((plasma electron) adj density and control).ti. and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:41
L21	3	((plasma electron) adj density and (measure measuring measurement)).ti. and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:41
L22	9	((plasma adj processing) ((plasma electron) adj density)) and diagnostic adj system and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:42
L23	1	((plasma adj processing) ((plasma electron) adj density)) and (control controller controlling controlled) with diode adj voltage and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:43
L24	0	((plasma adj processing) ((plasma electron) adj density)) and (control controller controlling controlled) with Gunn adj diode and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:44
L25	0	((plasma adj processing) ((plasma electron) adj density)) and (control controller controlling controlled) with (voltage current) adj monitor and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:44
L26	1	((plasma adj processing) ((plasma electron) adj density)) and (control controller controlling controlled) with detector with voltage and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:45
L27	1	((plasma adj processing) ((plasma electron) adj density)) and (control controller controlling controlled) with varactor and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:46
L28	0	((plasma adj processing) ((plasma electron) adj density)) and (control controller controlling controlled) with voltage near sweep and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:46
L29	0	((plasma adj processing) ((plasma electron) adj density)) and (control controller controlling controlled) with resonance adj lock-on and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:47
L30	0	((plasma adj processing) ((plasma electron) adj density)) and (control controller controlling controlled) and (adjust adjusting adjusted change changing changed) with varactor near voltage and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:47
L31	0	((plasma adj processing) ((plasma electron) adj density)) and (control controller controlling controlled) and (modify modifying modified) with varactor near voltage and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:47

EAST Search History

L32	0	((plasma adj processing) ((plasma electron) adj density)) and multi-modal adj resonator and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:47
L33	0	multi-modal adj resonator and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:48
L34	0	((plasma adj processing) ((plasma electron) adj density)) and sweep adj generator and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:48
L35	5	((plasma adj processing) ((plasma electron) adj density)) and default adj settings and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:48
L36	12	((plasma adj processing) ((plasma electron) adj density)) and default adj parameters and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:49
L37	0	((plasma adj processing) ((plasma electron) adj density)) and display with diode adj (voltage current) and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:50
L38	0	((plasma adj processing) ((plasma electron) adj density)) and display with (varactor detector) adj voltage and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:50
L39	0	((plasma adj processing) ((plasma electron) adj density)) and display with (voltage current) with (vco varactor detector) and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:51
L40	0	((plasma adj processing) ((plasma electron) adj density)) and mode with (select selecting selected selection) with control with data adj acquisition and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:51
L41	0	((plasma adj processing) ((plasma electron) adj density)) and mode with (select selecting selected selection) with control with acquisition and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:51
L42	0	((plasma adj processing) ((plasma electron) adj density)) and mode with (select selecting selected selection) with calibration with acquisition	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:51
L43	3	((plasma adj processing) ((plasma electron) adj density)) and mode with (select selecting selected selection) with control and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:52
L44	0	varactor adj voltage with (electron plasma) adj density and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:52

EAST Search History

L45	0	voltage with ((voltage adj controlled adj oscillator) vco) with (electron plasma) adj density and @pd>"20060201"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/24 12:52
L46	0	(plasma and process\$3 and diagnostic and multi-modal and resonator and Gunn and diode and voltage and oscillator and detector and controller and programmable and interface).clm.	US-PGPUB	OR	ON	2006/08/24 12:55
L47	1	(diagnostic and multi-modal and resonator and varactor and monitor and controller and interface).clm.	US-PGPUB	OR	ON	2006/08/24 12:55